



*Designed for safety. Built for fun.*




**Detail A**

**Additional Notes:**

- Features steel poles with Stealth Black paint
- Pole sizes & footing based on soil conditions & wind loads
- Fusion wall posts set 4' OC max
- Drawings not to scale

*Designed for safety. Built for fun.*

Side View



**#1 - 3/4" Severe Weather AWPA compliant Treated Sheathing**

- Primed & Painted with extreme conditions exterior paint.

**#2 - 3" High Impact Foam**

- Density: 1.50 pcf
- Impression Load: 25% 75-85, 65% 128-145 Support Factor 65/25 1.7mm
- Rebound %: 40-48%
- Tear Resistance: 1.5 - 2.5 lbs/in
- Static Fatigue: <35% % Loss @ 25% ILD

**#3 - Advantage MVP Vinyl**

- 18.5oz/ sq yd
- 3000+ hour UV resistance
- Emboss: Course Matte
- Construction: 9 x 9, 1000 x 1000 Denier
- Tongue Tear: 100 x 100 lbs / 1"
- Grab Tensile: 375 x 375 lbs / 1"
- Adhesion: 26lbs / 2"
- Meets CAL117-2013 Flammability Test
- Abrasion: 1000 Cycles
- Rot, Mildew & Fungus Resistant
- Available in 18 Color Choices

**#4 Zeus Clip**

- Attached with 1" Galvanized Screw to Plywood
- Overlaps UNISTRUT between posts

**#5 UNISTRUT**


- 1 5/8" x 13/16" Slotted Standard
- 2 UNISTRUT's per pad

**#6 - 2 Hole Pipe Strap**


- Attached to UNISTRUT w/ Galvanized Bolt and Nut

**#7 - Windscreen**


- Privascreen windscreen can be hung from the back of system to conceal hardware.



*Designed for safety. Built for fun.*



*Designed for safety. Built for fun.*



Scarlet Red



Black\*

Navy\*

True Blue



Regal Blue

Royal Blue\*

Carolina Blue



Marine Blue

Forest Green

Green\*



Lime Green

Purple

Maroon



Burgundy

Cardinal Red

Red\*

Bright Pink

Brown\*



Tan\*

Orange\*

Tangerine

Yellow\*

Charcoal Grey\*



Grey\*

Steel Grey

Light Grey

White\*